

INDUSTRY

RESEARCH  
LABORATORY  
EDUCATION

DISTRIBUTION  
LOGISTICS

Robust.  
**Stable.**  
Versatile.



**Cupboard and shelving systems.**

KARL original.



# Steel cupboards from KARL:

## **Professional use**

### in assembly and production

#### **Robust construction**

Steel cupboards and shelves from KARL stand out due to robust construction, first-class craftsmanship and clear, subtle design.



#### **Functional unit**

In connection with KARL workplace systems they form a perfect functional unit, which harmonize with every modern, technical insert work environment and highest meeting quality requirements.



#### **Flexible**

Assembly or packaging material, finished goods, files or tools - cupboard and shelf systems from KARL are versatile.



#### **Variable**

Different door variants, variably relocatable shelves and storage systems for Euronorm containers or delivery boxes offer for every storage purpose an optimal solution.



### **Quality**

- robust construction made of first-class quality steel sheet
- high quality, resistant powder coating in light gray (RAL 7035)



### **Lockable**

- recessed security cylinder lock with 2 keys



### **Height adjustable**

- shelves and hanging brackets adjustable in height



### **ESD-compliant construction**

- standard-compliant according to IEC 61340-5-1
- all metal parts conductive powder coated



# The roll container and wooden cabinet range.

## First class storage.

### Robust construction

Cabinets and mobile pedestals from KARL combine a robust construction with a discreet exterior. Body made of light grey, melamine-coated chipboard chipboard (19 mm). Scratch-resistant surface, abrasion-resistant and easy to clean.



### Individual office design

The first-class craftsmanship processed systems made of wood so equally for offices as well as for technical work areas.



### Arbitrarily expandable

Whether freestanding single cupboard or individually tailored wall unit - for every storage purpose and for everyone. The large variety of types offers space with different door variants and variably relocatable shelves a solution that leaves nothing to be desired.



### Timeless design

Light, light grey material and the clear, unobtrusive design blend harmoniously into the working environment and and, in combination with KARL workstation systems form a visual and functional unit.



### High stability

- High lateral stability due to compact design
- Body completely dowelled and glued
- All edges with ABS edging (2 mm)
- Sturdy, grooved visible rear panel (13 mm)
- Hinged doors with 270°-opening hinges



### Flexible height distribution

- Side walls with hole line in 32 mm grid
- Shelf support made of metal



### Lockable

- Lockable espagnolette lock with rotary olive
- Tilting key



### Compensable

- Base with concealed metal height adjusters to compensate for uneven floors



### ESD compliant construction

- optionally also in ESD version
- standard-compliant according to IEC 61340-5-1



Functional.  
**Universal.**  
Combinable.



# Cupboard and shelving systems.

KARL original.

## Content

|                                                    |          |
|----------------------------------------------------|----------|
| <b>Steel product range</b> .....                   | <b>8</b> |
| Cupboards with hinged doors .....                  | 8        |
| Cupboards with swing-in doors .....                | 8        |
| Shelves .....                                      | 9        |
| Delivery boxes .....                               | 9        |
| Shelving system for Euro standard containers ..... | 10       |
| Euronorm container .....                           | 10       |

|                              |           |
|------------------------------|-----------|
| <b>Roll container</b> .....  | <b>11</b> |
| Mobile drawer block F0 ..... | 11        |

|                                                 |           |
|-------------------------------------------------|-----------|
| <b>Equipment</b> .....                          | <b>12</b> |
| ESD insert tray for small parts .....           | 12        |
| Variable cross and longitudinal divisions ..... | 12        |

|                                 |           |
|---------------------------------|-----------|
| <b>Wood product range</b> ..... | <b>13</b> |
|---------------------------------|-----------|

|                                                      |           |
|------------------------------------------------------|-----------|
| <b>Tall cupboards</b> .....                          | <b>13</b> |
| Tall cupboard with hinged doors .....                | 13        |
| Tall cupboard with hinged doors with glass panels .. | 14        |
| Side cupboard with hinged doors with glass panels .. | 14        |

|                      |           |
|----------------------|-----------|
| <b>Shelves</b> ..... | <b>15</b> |
|----------------------|-----------|

|                                         |           |
|-----------------------------------------|-----------|
| <b>Side cupboards</b> .....             | <b>16</b> |
| Side cupboard with hinged doors .....   | 16        |
| Side cupboard with sliding doors .....  | 17        |
| Side cupboard with cross shutters ..... | 17        |
| Side cupboards with drawers .....       | 18        |
| Side cupboards for hanging files .....  | 21        |

|                                                     |           |
|-----------------------------------------------------|-----------|
| <b>Top cupboards</b> .....                          | <b>22</b> |
| Top cupboard with hinged doors .....                | 22        |
| Top cupboard with hinged doors with glass panels .. | 23        |
| Top shelf .....                                     | 23        |
| Top cupboard with sliding doors .....               | 24        |
| Top cupboard with cross roller shutter .....        | 24        |

|                               |           |
|-------------------------------|-----------|
| <b>Corner cupboards</b> ..... | <b>25</b> |
|-------------------------------|-----------|

|                                              |           |
|----------------------------------------------|-----------|
| <b>Equipment</b> .....                       | <b>27</b> |
| Wardrobe rail .....                          | 27        |
| Installation frame for hanging files .....   | 27        |
| Intermediate plate with pull-out shelf ..... | 27        |
| Ladder system with ladder guide .....        | 28        |

|                             |           |
|-----------------------------|-----------|
| <b>Roll container</b> ..... | <b>29</b> |
|-----------------------------|-----------|

# Steel product range



## Cupboards with hinged doors

- height adjustable shelves in 60 mm increments
- max. load / shelf: 80 kg



### External dimensions

|                                 |                 |                  |
|---------------------------------|-----------------|------------------|
| 920 x 420 x 1950 mm (W x D x H) | incl. 4 shelves | <b>71.421.70</b> |
| 920 x 650 x 1950 mm (W x D x H) | incl. 4 shelves | <b>71.461.70</b> |

### Additional shelf

|                      |                  |
|----------------------|------------------|
| 914 x 370 mm (W x D) | <b>76.021.70</b> |
| 914 x 600 mm (W x D) | <b>76.061.70</b> |

## Cupboards with swing-in doors

- doors swing into the cupboard body when opened
- height adjustable shelves in 60 mm increments
- max. load / shelf: 80 kg



### External dimensions

|                                  |                 |                  |
|----------------------------------|-----------------|------------------|
| 1100 x 530 x 2125 mm (W x D x H) | incl. 5 shelves | <b>72.641.70</b> |
|----------------------------------|-----------------|------------------|

### Additional shelf

|                      |                  |
|----------------------|------------------|
| 930 x 440 mm (W x D) | <b>76.041.70</b> |
|----------------------|------------------|



## Shelves

- as a free-standing single shelf, row system or in block form (back to back)
- shelves made of galvanized sheet steel, height-adjustable in 50 mm increments with hanging brackets
- including bottom, lid and shelves
- delivery fully assembled
- max. load / shelf: 100 kg



| Height  | Width x Depth |                 | Cover: | Sheet steel      | ESD laminate     |
|---------|---------------|-----------------|--------|------------------|------------------|
| 1125 mm | 975 x 455 mm  | incl. 2 shelves |        | <b>60.424.43</b> | <b>60.424.34</b> |
| 1125 mm | 975 x 700 mm  | incl. 2 shelves |        | <b>60.444.43</b> | <b>60.444.34</b> |

| Height  | Width x Depth |                 | Cover: | Sheet steel      | ESD laminate     |
|---------|---------------|-----------------|--------|------------------|------------------|
| 2125 mm | 975 x 455 mm  | incl. 4 shelves |        | <b>60.426.43</b> | <b>60.426.34</b> |
| 2125 mm | 975 x 700 mm  | incl. 4 shelves |        | <b>60.446.43</b> | <b>60.446.34</b> |

## Additional shelf


- made of galvanized sheet steel, incl. hanging bracket

for shelves

|                      |                  |
|----------------------|------------------|
| 975 x 455 mm (W x D) | <b>60.922.43</b> |
| 975 x 700 mm (W x D) | <b>60.944.43</b> |

## Delivery boxes


- made of galvanized sheet steel
- with label holder
- strong stacking edges for safe stacking
- optimal shape due to ribbing
- optionally with recessed grip
- minimum purchase required - on request



| Type | Width  | Depth  | Height | Recessed grip |                  |
|------|--------|--------|--------|---------------|------------------|
| B75  | 275 mm | 450 mm | 75 mm  | no            | <b>62.901.96</b> |
| B75  | 275 mm | 450 mm | 75 mm  | yes           | <b>62.902.96</b> |
| B115 | 452 mm | 696 mm | 115 mm | yes           | <b>62.903.96</b> |

## Shelving system for Euro standard containers

- guidance of the Euronorm containers on galvanized suspension brackets, height adjustable in 50 mm increments
- mounting bracket not included (to be ordered separately)



| Height  | Width x Depth | for Euronorm containers    | Cover: | Sheet steel      | ESD laminate     |
|---------|---------------|----------------------------|--------|------------------|------------------|
| 1125 mm | 1120 x 425 mm | 300 x 400 mm               |        | <b>66.424.43</b> | <b>66.424.34</b> |
| 1125 mm | 1400 x 625 mm | 300 x 400 mm, 600 x 400 mm |        | <b>66.644.43</b> | <b>66.644.34</b> |

| Height  | Width x Depth |                           | Cover: | Sheet steel      | ESD laminate     |
|---------|---------------|---------------------------|--------|------------------|------------------|
| 2125 mm | 1120 x 425 mm | 300 x 400 mm              |        | <b>66.426.43</b> | <b>66.426.34</b> |
| 2125 mm | 1400 x 625 mm | 300 x 400mm, 600 x 400 mm |        | <b>66.646.43</b> | <b>66.646.34</b> |

## Mounting bracket

- galvanized surface
- with push-through protection

|                        | Depth: | 400 mm           | 600 mm           |
|------------------------|--------|------------------|------------------|
| 1 set Mounting bracket |        | <b>66.901.96</b> | <b>66.902.96</b> |

## Euronorm container

- optionally made of non-conductive low-pressure polyethylene (red) or ESD-compliant made of conductive polypropylene (black)

| Height | Width x Depth | Standard         | ESD              |
|--------|---------------|------------------|------------------|
| 120 mm | 300 x 400 mm  | <b>96.540.98</b> | <b>96.550.98</b> |
| 170 mm | 300 x 400 mm  | <b>96.542.98</b> | <b>96.552.98</b> |
| 220 mm | 300 x 400 mm  | <b>96.544.98</b> | <b>96.554.98</b> |

|        |              |                  |                  |
|--------|--------------|------------------|------------------|
| 120 mm | 600 x 400 mm | <b>96.560.98</b> | <b>96.570.98</b> |
| 180 mm | 600 x 400 mm | <b>96.562.98</b> | <b>96.572.98</b> |
| 220 mm | 600 x 400 mm | <b>96.564.98</b> | <b>96.574.98</b> |
| 320 mm | 600 x 400 mm | <b>96.566.98</b> | <b>96.576.98</b> |

## Roll container




- robust sheet steel case with central locking
- 1 cupboard height, 2 widths
- variable drawer divisions (1 HU = 54 mm)
- clear internal dimensions: W = 330 mm respectively 520 mm, D = 450 mm
- 4/5-extensible, drawer runners with steel ball bearings
- load capacity / drawer: 30 kg
- ESD-compliant due to conductive powder coating and conductive guides, connection of all parts with contact washers
- pull-out protection: only one drawer can be opened at a time

Optional:

- full extension drawers, drawer runners with telescopic rails
- load capacity / drawer: 45 kg

## Mobile drawer block F0

- 4 conductive castors (Ø 52 mm)
- 2 of them lockable
- H = 670 mm
- D = 540 mm



| Drawer division                   | 9 x 1 HU  | 2 x 1 HU<br>2 x 2 HU<br>1 x 3 HU | 1 x 1 HU<br>4 x 2 HU | 1 x 1 HU<br>1 x 2 HU<br>1 x 6 HU | 3 x 3 HU  |
|-----------------------------------|-----------|----------------------------------|----------------------|----------------------------------|-----------|
| <b>Hard laminate cover</b>        |           |                                  |                      |                                  |           |
| W = 418 mm                        | 32.305.63 | 32.310.63                        | 32.315.63            | 32.320.63                        | 32.325.63 |
| W = 606 mm                        | 33.305.63 | 33.310.63                        | 33.315.63            | 33.320.63                        | 33.325.63 |
| <b>Cover directly coated, ESD</b> |           |                                  |                      |                                  |           |
| W = 418 mm                        | 32.305.34 | 32.310.34                        | 32.315.34            | 32.320.34                        | 32.325.34 |
| W = 606 mm                        | 33.305.34 | 33.310.34                        | 33.315.34            | 33.320.34                        | 33.325.34 |
| <b>Cover ESD hard laminate</b>    |           |                                  |                      |                                  |           |
| W = 418 mm                        | 32.305.66 | 32.310.66                        | 32.315.66            | 32.320.66                        | 32.325.66 |
| W = 606 mm                        | 33.305.66 | 33.310.66                        | 33.315.66            | 33.320.66                        | 33.325.66 |

# Equipment

## ESD insert tray for small parts

- made of conductive plastic
- 2 trays can be used per drawer
- H = 31 mm

|                                                 |                  |
|-------------------------------------------------|------------------|
| insert tray with 7 compartments for W = 418 mm  | <b>96.205.98</b> |
| insert tray with 11 compartments for W = 606 mm | <b>96.206.98</b> |




## Variable cross and longitudinal divisions

- adjustable in grid
- made of powder-coated sheet steel
- H = 73 mm

|                            |                  |
|----------------------------|------------------|
| Cross dividers, W = 330 mm | <b>96.225.98</b> |
| Cross dividers, W = 540 mm | <b>96.226.98</b> |



|                                               |                  |
|-----------------------------------------------|------------------|
| Longitudinal divisions, 303 mm / A4 landscape | <b>96.227.98</b> |
| Longitudinal divisions, 213 mm / A5 landscape | <b>96.229.98</b> |
| Longitudinal divisions, 113 mm / A6 landscape | <b>96.231.98</b> |




# Wood product range



## Tall cupboards

- Height 2064 mm
- 5 Folder heights
- incl. 4 height-adjustable shelves

### Tall cupboard with hinged doors



| Width x Height |          | 500 x 2064 mm     | 800 x 2064 mm     | 1000 x 2064 mm    | 1200 x 2064 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>505.451.00</b> | <b>508.451.00</b> | <b>510.451.00</b> | <b>512.451.00</b> |
|                | ESD      | <b>505.451.01</b> | <b>508.451.01</b> | <b>510.451.01</b> | <b>512.451.01</b> |
| Depth 650 mm   | Standard | <b>505.651.00</b> | <b>508.651.00</b> | <b>510.651.00</b> | <b>512.651.00</b> |
|                | ESD      | <b>505.651.01</b> | <b>508.651.01</b> | <b>510.651.01</b> | <b>512.651.01</b> |

### Additional shelf

- Thickness 28 mm

| Width        |          | 460 mm            | 760 mm            | 960 mm            | 1160 mm           |
|--------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 400 mm | Standard | <b>705.411.10</b> | <b>708.411.10</b> | <b>710.411.10</b> | <b>712.411.10</b> |
|              | ESD      | <b>705.411.11</b> | <b>708.411.11</b> | <b>710.411.11</b> | <b>712.411.11</b> |
| Depth 600 mm | Standard | <b>705.611.10</b> | <b>708.611.10</b> | <b>710.611.10</b> | <b>712.611.10</b> |
|              | ESD      | <b>705.611.11</b> | <b>708.611.11</b> | <b>710.611.11</b> | <b>712.611.11</b> |

## Tall cupboard with hinged doors with glass panels

- doors with inserted safety glass, 4 mm thick



| Width x Height |          | 500 x 2064 mm     | 800 x 2064 mm     | 1000 x 2064 mm    | 1200 x 2064 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>505.452.00</b> | <b>508.452.00</b> | <b>510.452.00</b> | <b>512.452.00</b> |
|                | ESD      | <b>505.452.01</b> | <b>508.452.01</b> | <b>510.452.01</b> | <b>512.452.01</b> |
| Depth 650 mm   | Standard | <b>505.652.00</b> | <b>508.652.00</b> | <b>510.652.00</b> | <b>512.652.00</b> |
|                | ESD      | <b>505.652.01</b> | <b>508.652.01</b> | <b>510.652.01</b> | <b>512.652.01</b> |

## Side cupboard with hinged doors with glass panels

- Height: 1352 mm, 3 folder heights
- with inserted safety glass, 4 mm thick
- incl. 2 adjustable shelves



| Width x Height |          | 500 x 1352 mm     | 800 x 1352 mm     | 1000 x 1352 mm    | 1200 x 1352 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>505.432.00</b> | <b>508.432.00</b> | <b>510.432.00</b> | <b>512.432.00</b> |
|                | ESD      | <b>505.432.01</b> | <b>508.432.01</b> | <b>510.432.01</b> | <b>512.432.01</b> |
| Depth 650 mm   | Standard | <b>505.632.00</b> | <b>508.632.00</b> | <b>510.632.00</b> | <b>512.632.00</b> |
|                | ESD      | <b>505.632.01</b> | <b>508.632.01</b> | <b>510.632.01</b> | <b>512.632.01</b> |


## Additional shelf

- Thickness 28 mm

| Width        |          | 460 mm            | 760 mm            | 960 mm            | 1160 mm           |
|--------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 400 mm | Standard | <b>705.411.10</b> | <b>708.411.10</b> | <b>710.411.10</b> | <b>712.411.10</b> |
|              | ESD      | <b>705.411.11</b> | <b>708.411.11</b> | <b>710.411.11</b> | <b>712.411.11</b> |
| Depth 600 mm | Standard | <b>705.611.10</b> | <b>708.611.10</b> | <b>710.611.10</b> | <b>712.611.10</b> |
|              | ESD      | <b>705.611.11</b> | <b>708.611.11</b> | <b>710.611.11</b> | <b>712.611.11</b> |


# Shelves

- Height 2064 mm, 5 folder heights
- incl. 4 height-adjustable shelves



| Width x Height |          | 500 x 2064 mm     | 800 x 2064 mm     | 1000 x 2064 mm    | 1200 x 2064 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 430 mm   | Standard | <b>505.455.00</b> | <b>508.455.00</b> | <b>510.455.00</b> | <b>512.455.00</b> |
|                | ESD      | <b>505.455.01</b> | <b>508.455.01</b> | <b>510.455.01</b> | <b>512.455.01</b> |
| Depth 630 mm   | Standard | <b>505.655.00</b> | <b>508.655.00</b> | <b>510.655.00</b> | <b>512.655.00</b> |
|                | ESD      | <b>505.655.01</b> | <b>508.655.01</b> | <b>510.655.01</b> | <b>512.655.01</b> |

- Height 1352 mm, 3 folder heights
- incl. 2 height-adjustable shelves



| Width x Height |          | 500 x 1352 mm     | 800 x 1352 mm     | 1000 x 1352 mm    | 1200 x 1352 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 430 mm   | Standard | <b>505.435.00</b> | <b>508.435.00</b> | <b>510.435.00</b> | <b>512.435.00</b> |
|                | ESD      | <b>505.435.01</b> | <b>508.435.01</b> | <b>510.435.01</b> | <b>512.435.01</b> |
| Depth 630 mm   | Standard | <b>505.635.00</b> | <b>508.635.00</b> | <b>510.635.00</b> | <b>512.635.00</b> |
|                | ESD      | <b>505.635.01</b> | <b>508.635.01</b> | <b>510.635.01</b> | <b>512.635.01</b> |

- Height 772 mm, 2 folder heights
- including 1 height-adjustable shelf



| Width x Height |          | 500 x 772 mm      | 800 x 772 mm      | 1000 x 772 mm     | 1200 x 772 mm     |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 430 mm   | Standard | <b>505.425.00</b> | <b>508.425.00</b> | <b>510.425.00</b> | <b>512.425.00</b> |
|                | ESD      | <b>505.425.01</b> | <b>508.425.01</b> | <b>510.425.01</b> | <b>512.425.01</b> |
| Depth 630 mm   | Standard | <b>505.625.00</b> | <b>508.625.00</b> | <b>510.625.00</b> | <b>512.625.00</b> |
|                | ESD      | <b>505.625.01</b> | <b>508.625.01</b> | <b>510.625.01</b> | <b>512.625.01</b> |

## Additional shelf

- Thickness 28 mm

| Width        |          | 460 mm            | 760 mm            | 960 mm            | 1160 mm           |
|--------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 400 mm | Standard | <b>705.411.10</b> | <b>708.411.10</b> | <b>710.411.10</b> | <b>712.411.10</b> |
|              | ESD      | <b>705.411.11</b> | <b>708.411.11</b> | <b>710.411.11</b> | <b>712.411.11</b> |
| Depth 600 mm | Standard | <b>705.611.10</b> | <b>708.611.10</b> | <b>710.611.10</b> | <b>712.611.10</b> |
|              | ESD      | <b>705.611.11</b> | <b>708.611.11</b> | <b>710.611.11</b> | <b>712.611.11</b> |

# Side cupboards



## Side cupboard with hinged doors

- Height 1352 mm, 3 folder heights
- incl. 2 adjustable shelves



| Width x Height |          | 500 x 1352 mm     | 800 x 1352 mm     | 1000 x 1352 mm    | 1200 x 1352 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>505.431.00</b> | <b>508.431.00</b> | <b>510.431.00</b> | <b>512.431.00</b> |
|                | ESD      | <b>505.431.01</b> | <b>508.431.01</b> | <b>510.431.01</b> | <b>512.431.01</b> |
| Depth 650 mm   | Standard | <b>505.631.00</b> | <b>508.631.00</b> | <b>510.631.00</b> | <b>512.631.00</b> |
|                | ESD      | <b>505.631.01</b> | <b>508.631.01</b> | <b>510.631.01</b> | <b>512.631.01</b> |

- Height 772 mm, 2 folder heights
- incl. 1 adjustable shelf



| Width x Height |          | 500 x 772 mm      | 800 x 772 mm      | 1000 x 772 mm     | 1200 x 772 mm     |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>505.421.00</b> | <b>508.421.00</b> | <b>510.421.00</b> | <b>512.421.00</b> |
|                | ESD      | <b>505.421.01</b> | <b>508.421.01</b> | <b>510.421.01</b> | <b>512.421.01</b> |
| Depth 650 mm   | Standard | <b>505.621.00</b> | <b>508.621.00</b> | <b>510.621.00</b> | <b>512.621.00</b> |
|                | ESD      | <b>505.621.01</b> | <b>508.621.01</b> | <b>510.621.01</b> | <b>512.621.01</b> |

## Additional shelf


- Thickness 28 mm

| Width        |          | 460 mm            | 760 mm            | 960 mm            | 1160 mm           |
|--------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 400 mm | Standard | <b>705.411.10</b> | <b>708.411.10</b> | <b>710.411.10</b> | <b>712.411.10</b> |
|              | ESD      | <b>705.411.11</b> | <b>708.411.11</b> | <b>710.411.11</b> | <b>712.411.11</b> |
| Depth 600 mm | Standard | <b>705.611.10</b> | <b>708.611.10</b> | <b>710.611.10</b> | <b>712.611.10</b> |
|              | ESD      | <b>705.611.11</b> | <b>708.611.11</b> | <b>710.611.11</b> | <b>712.611.11</b> |



## Side cupboard with sliding doors

- 3 folder heights: including center partition and 2 x 2 adjustable shelves
- 2 folder heights: including center partition and 1 x 2 adjustable shelves
- locking system lock
- matt nickel-plated segment handles (further handle variants optional)



| Width x Height |          | 1200 x 1352 mm    | 1200 x 772 mm     |
|----------------|----------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>512.433.00</b> | <b>512.423.00</b> |
|                | ESD      | <b>512.433.01</b> | <b>512.423.01</b> |
| Depth 650 mm   | Standard | <b>512.633.00</b> | <b>512.623.00</b> |
|                | ESD      | <b>512.633.01</b> | <b>512.623.01</b> |

### Additional shelf

- Thickness 28 mm

|              |          | Width  |                   |
|--------------|----------|--------|-------------------|
| Depth 390 mm | Standard | 570 mm | <b>712.412.20</b> |
|              | ESD      | 570 mm | <b>712.412.21</b> |
| Depth 590 mm | Standard | 570 mm | <b>712.612.20</b> |
|              | ESD      | 570 mm | <b>712.612.21</b> |

## Side cupboard with cross shutters

- 3 folder heights: incl. 2 adjustable shelves
- 2 folder heights: incl. 1 adjustable shelf
- cross shutters open from right to left (clear width = 1000 mm)
- locking system lock
- matt nickel-plated segment handle (further handle variants optional)



| Width x Height |          | 1200 x 1352 mm    | 1200 x 772 mm     |
|----------------|----------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>512.434.00</b> | <b>512.424.00</b> |
|                | Standard | <b>512.634.00</b> | <b>512.624.00</b> |

### Additional shelf

- Thickness 28 mm

For cupboard depth

|        |          |                      |                   |
|--------|----------|----------------------|-------------------|
| 450 mm | Standard | 960 x 390 mm (W x D) | <b>712.413.10</b> |
| 650 mm | Standard | 960 x 590 mm (W x D) | <b>712.613.10</b> |

## Side cupboards with drawers


- organizable steel drawer troughs with full telescopic extension, black powder-coated
- upper drawer with central locking
- matt nickel-plated segment handles (further handle variants optional)
- front panel height: 1 HU = 32 mm
- internal drawer dimensions: see page 20



### Width x Height: 800 x 1352 mm



4 Drawers  
7/11/11/11



5 Drawers  
7/8/8/8/9



7 Drawers  
7/4/4/4/6/6/9



9 Drawers  
7/4/4/4/4/4/4/4/5

| Aperture heights (HU) |          | 4 Drawers<br>7/11/11/11 | 5 Drawers<br>7/8/8/8/9 | 7 Drawers<br>7/4/4/4/6/6/9 | 9 Drawers<br>7/4/4/4/4/4/4/4/5 |
|-----------------------|----------|-------------------------|------------------------|----------------------------|--------------------------------|
| Depth 450 mm          | Standard | <b>508.436.10</b>       | <b>508.436.20</b>      | <b>508.436.30</b>          | <b>508.436.40</b>              |
|                       | ESD      | <b>508.436.11</b>       | <b>508.436.21</b>      | <b>508.436.31</b>          | <b>508.436.41</b>              |
| Depth 650 mm          | Standard | <b>508.636.10</b>       | <b>508.636.20</b>      | <b>508.636.30</b>          | <b>508.636.40</b>              |
|                       | EDS      | <b>508.636.11</b>       | <b>508.636.21</b>      | <b>508.636.31</b>          | <b>508.636.41</b>              |

### Width x Height: 800 x 772 mm



2 Drawers  
11/11



3 Drawers  
7/7/8







4 Drawers  
7/4/4/7




4 Drawers  
7/5/5/5

| Aperture heights (HU) |          | 2 Drawers<br>11/11 | 3 Drawers<br>7/7/8 | 4 Drawers<br>7/4/4/7 | 4 Drawers<br>7/5/5/5 |
|-----------------------|----------|--------------------|--------------------|----------------------|----------------------|
| Depth 450 mm          | Standard | <b>508.426.10</b>  | <b>508.426.20</b>  | <b>508.426.30</b>    | <b>508.426.40</b>    |
|                       | ESD      | <b>508.426.11</b>  | <b>508.426.21</b>  | <b>508.426.31</b>    | <b>508.426.41</b>    |
| Depth 650 mm          | Standard | <b>508.626.10</b>  | <b>508.626.20</b>  | <b>508.626.30</b>    | <b>508.626.40</b>    |
|                       | EDS      | <b>508.626.11</b>  | <b>508.626.21</b>  | <b>508.626.31</b>    | <b>508.626.41</b>    |

**Width x Height: 1000 x 1352 mm**



|                       |          |                         |                        |                            |                              |
|-----------------------|----------|-------------------------|------------------------|----------------------------|------------------------------|
| Aperture heights (HU) |          | 4 Drawers<br>7/11/11/11 | 5 Drawers<br>7/8/8/8/9 | 7 Drawers<br>7/4/4/4/6/6/9 | 9 Drawers<br>7/4/4/4/4/4/4/5 |
| Depth 450 mm          | Standard | <b>510.436.10</b>       | <b>510.436.20</b>      | <b>510.436.30</b>          | <b>510.436.40</b>            |
|                       | ESD      | <b>510.436.11</b>       | <b>510.436.21</b>      | <b>510.436.31</b>          | <b>510.436.41</b>            |
| Depth 650 mm          | Standard | <b>510.636.10</b>       | <b>510.636.20</b>      | <b>510.636.30</b>          | <b>510.636.40</b>            |
|                       | EDS      | <b>510.636.11</b>       | <b>510.636.21</b>      | <b>510.636.31</b>          | <b>510.636.41</b>            |

**Width x Height: 1000 x 772 mm**

|                       |          |                    |                    |                      |                      |
|-----------------------|----------|--------------------|--------------------|----------------------|----------------------|
| Aperture heights (HU) |          | 2 Drawers<br>11/11 | 3 Drawers<br>7/7/8 | 4 Drawers<br>7/4/4/7 | 4 Drawers<br>7/5/5/5 |
| Depth 450 mm          | Standard | <b>510.426.10</b>  | <b>510.426.20</b>  | <b>510.426.30</b>    | <b>510.426.40</b>    |
|                       | ESD      | <b>510.426.11</b>  | <b>510.426.21</b>  | <b>510.426.31</b>    | <b>510.426.41</b>    |
| Depth 650 mm          | Standard | <b>510.626.10</b>  | <b>510.626.20</b>  | <b>510.626.30</b>    | <b>510.626.40</b>    |
|                       | EDS      | <b>510.626.11</b>  | <b>510.626.21</b>  | <b>510.626.31</b>    | <b>510.626.41</b>    |

**Width x Height: 1200 x 1352 mm**


|                       |          |                         |                        |                            |                                |
|-----------------------|----------|-------------------------|------------------------|----------------------------|--------------------------------|
| Aperture heights (HU) |          | 4 Drawers<br>7/11/11/11 | 5 Drawers<br>7/8/8/8/9 | 7 Drawers<br>7/4/4/4/6/6/9 | 9 Drawers<br>7/4/4/4/4/4/4/4/5 |
| Depth 450 mm          | Standard | <b>512.436.10</b>       | <b>512.436.20</b>      | <b>512.436.30</b>          | <b>512.436.40</b>              |
|                       | ESD      | <b>512.436.11</b>       | <b>512.436.21</b>      | <b>512.436.31</b>          | <b>512.436.41</b>              |
| Depth 650 mm          | Standard | <b>512.636.10</b>       | <b>512.636.20</b>      | <b>512.636.30</b>          | <b>512.636.40</b>              |
|                       | EDS      | <b>512.636.11</b>       | <b>512.636.21</b>      | <b>512.636.31</b>          | <b>512.636.41</b>              |

**Width x Height: 1200 x 772 mm**

|                       |          |                    |                    |                      |                      |
|-----------------------|----------|--------------------|--------------------|----------------------|----------------------|
| Aperture heights (HU) |          | 2 Drawers<br>11/11 | 3 Drawers<br>7/7/8 | 4 Drawers<br>7/4/4/7 | 4 Drawers<br>7/5/5/5 |
| Depth 450 mm          | Standard | <b>512.426.10</b>  | <b>512.426.20</b>  | <b>512.426.30</b>    | <b>512.426.40</b>    |
|                       | ESD      | <b>512.426.11</b>  | <b>512.426.21</b>  | <b>512.426.31</b>    | <b>512.426.41</b>    |
| Depth 650 mm          | Standard | <b>512.626.10</b>  | <b>512.626.20</b>  | <b>512.626.30</b>    | <b>512.626.40</b>    |
|                       | EDS      | <b>512.626.11</b>  | <b>512.626.21</b>  | <b>512.626.31</b>    | <b>512.626.41</b>    |

# Drawer organization

Inner drawer dimensions



## Orgaline for front and back


- steel, black powder-coated



|                    |                   |                   |                   |
|--------------------|-------------------|-------------------|-------------------|
| for cupboard width | 800 mm            | 1000 mm           | 1200 mm           |
|                    | <b>708.071.00</b> | <b>710.071.00</b> | <b>712.071.00</b> |

## Partition walls as longitudinal division


- with side latches
- for locking in the Orgaline
- steel, black powder-coated



|                    |                   |                   |
|--------------------|-------------------|-------------------|
| for cupboard depth | 450 mm            | 650 mm            |
|                    | <b>700.481.00</b> | <b>700.681.00</b> |

## Compartment divider as cross division

- for locking between partition walls
- steel, black powder-coated




|                          |                   |                   |                   |                   |
|--------------------------|-------------------|-------------------|-------------------|-------------------|
| Shelf divider for format | A4                | A5                | A6                | A7                |
|                          | <b>700.084.00</b> | <b>700.085.00</b> | <b>700.086.00</b> | <b>700.087.00</b> |

## Side cupboards for hanging files


- upper drawer with central locking
- matt nickel-plated segment bow handles (other handle variants optional)
- front panel height = 350 mm
- including frame for A4 hanging bags

### 3 Drawers



| Width x Height |          | 800 x 1352 mm     | 1000 x 1352 mm    | 1200 x 1352 mm    |
|----------------|----------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>508.437.00</b> | <b>510.437.00</b> | <b>512.437.00</b> |
|                | ESD      | <b>508.437.01</b> | <b>510.437.01</b> | <b>512.437.01</b> |
| Depth 650 mm   | Standard | <b>508.637.00</b> | <b>510.637.00</b> | <b>512.637.00</b> |
|                | ESD      | <b>508.637.01</b> | <b>510.637.01</b> | <b>512.637.01</b> |

### 2 Drawers



| Width x Height |          | 800 x 772 mm      | 1000 x 772 mm     | 1200 x 772 mm     |
|----------------|----------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>508.427.00</b> | <b>510.427.00</b> | <b>512.427.00</b> |
|                | ESD      | <b>508.427.01</b> | <b>510.427.01</b> | <b>512.427.01</b> |
| Depth 650 mm   | Standard | <b>508.627.00</b> | <b>510.627.00</b> | <b>512.627.00</b> |
|                | ESD      | <b>508.627.01</b> | <b>510.627.01</b> | <b>512.627.01</b> |

# Top cupboards



## Top cupboard with hinged doors

- Height 1292 mm, 3 folder heights
- incl. 2 height adjustable shelves



| Width x Height |          | 500 x 1292 mm     | 800 x 1292 mm     | 1000 x 1292 mm    | 1200 x 1292 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>605.431.00</b> | <b>608.431.00</b> | <b>610.431.00</b> | <b>612.431.00</b> |
|                | ESD      | <b>605.431.01</b> | <b>608.431.01</b> | <b>610.431.01</b> | <b>612.431.01</b> |
| Depth 650 mm   | Standard | <b>605.631.00</b> | <b>608.631.00</b> | <b>610.631.00</b> | <b>612.631.00</b> |
|                | ESD      | <b>605.631.01</b> | <b>608.631.01</b> | <b>610.631.01</b> | <b>612.631.01</b> |

- Height 712 mm, 2 folder heights
- incl. height-adjustable shelf



| Width x Height |          | 500 x 712 mm      | 800 x 712 mm      | 1000 x 712 mm     | 1200 x 712 mm     |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>605.421.00</b> | <b>608.421.00</b> | <b>610.421.00</b> | <b>612.421.00</b> |
|                | ESD      | <b>605.421.01</b> | <b>608.421.01</b> | <b>610.421.01</b> | <b>612.421.01</b> |
| Depth 650 mm   | Standard | <b>605.621.00</b> | <b>608.621.00</b> | <b>610.621.00</b> | <b>612.621.00</b> |
|                | ESD      | <b>605.621.01</b> | <b>608.621.01</b> | <b>610.621.01</b> | <b>612.621.01</b> |

## Additional shelf

- Thickness 28 mm

| Width        |          | 460 mm            | 760 mm            | 960 mm            | 1160 mm           |
|--------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 400 mm | Standard | <b>705.411.10</b> | <b>708.411.10</b> | <b>710.411.10</b> | <b>712.411.10</b> |
|              | ESD      | <b>705.411.11</b> | <b>708.411.11</b> | <b>710.411.11</b> | <b>712.411.11</b> |
| Depth 600 mm | Standard | <b>705.611.10</b> | <b>708.611.10</b> | <b>710.611.10</b> | <b>712.611.10</b> |
|              | ESD      | <b>705.611.11</b> | <b>708.611.11</b> | <b>710.611.11</b> | <b>712.611.11</b> |

## Top cupboard with hinged doors with glass panels


- Height: 1292 mm, 3 folder heights
- incl. 2 height adjustable shelves



| Width x Height |          | 500 x 1292 mm     | 800 x 1292 mm     | 1000 x 1292 mm    | 1200 x 1292 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm   | Standard | <b>605.432.00</b> | <b>608.432.00</b> | <b>610.432.00</b> | <b>612.432.00</b> |
|                | ESD      | <b>605.432.01</b> | <b>608.432.01</b> | <b>610.432.01</b> | <b>612.432.01</b> |
| Depth 650 mm   | Standard | <b>605.632.00</b> | <b>608.632.00</b> | <b>610.632.00</b> | <b>612.632.00</b> |
|                | ESD      | <b>605.632.01</b> | <b>608.632.01</b> | <b>610.632.01</b> | <b>612.632.01</b> |

## Top shelf

- Height: 1292 mm, 3 folder heights
- incl. 2 height adjustable shelves



| Width x Height |          | 500 x 1292 mm     | 800 x 1292 mm     | 1000 x 1292 mm    | 1200 x 1292 mm    |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 430 mm   | Standard | <b>605.435.00</b> | <b>608.435.00</b> | <b>610.435.00</b> | <b>612.435.00</b> |
|                | ESD      | <b>605.435.01</b> | <b>608.435.01</b> | <b>610.435.01</b> | <b>612.435.01</b> |
| Depth 630 mm   | Standard | <b>605.635.00</b> | <b>608.635.00</b> | <b>610.635.00</b> | <b>612.635.00</b> |
|                | ESD      | <b>605.635.01</b> | <b>608.635.01</b> | <b>610.635.01</b> | <b>612.635.01</b> |

- Height: 712 mm, 2 folder heights
- incl. height-adjustable shelf



| Width x Height |          | 500 x 712 mm      | 800 x 712 mm      | 1000 x 712 mm     | 1200 x 712 mm     |
|----------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 430 mm   | Standard | <b>605.425.00</b> | <b>608.425.00</b> | <b>610.425.00</b> | <b>612.425.00</b> |
|                | ESD      | <b>605.425.01</b> | <b>608.425.01</b> | <b>610.425.01</b> | <b>612.425.01</b> |
| Depth 630 mm   | Standard | <b>605.625.00</b> | <b>608.625.00</b> | <b>610.625.00</b> | <b>612.625.00</b> |
|                | ESD      | <b>605.625.01</b> | <b>608.625.01</b> | <b>610.625.01</b> | <b>612.625.01</b> |


## Additional shelf

- Thickness 28 mm

| Width        |          | 460 mm            | 760 mm            | 960 mm            | 1160 mm           |
|--------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 400 mm | Standard | <b>705.411.10</b> | <b>708.411.10</b> | <b>710.411.10</b> | <b>712.411.10</b> |
|              | ESD      | <b>705.411.11</b> | <b>708.411.11</b> | <b>710.411.11</b> | <b>712.411.11</b> |
| Depth 600 mm | Standard | <b>705.611.10</b> | <b>708.611.10</b> | <b>710.611.10</b> | <b>712.611.10</b> |
|              | ESD      | <b>705.611.11</b> | <b>708.611.11</b> | <b>710.611.11</b> | <b>712.611.11</b> |

## Top cupboard with sliding doors

- 3 folder heights: incl. centre partition and 2 x 2 height-adjustable shelves
- 2 folder heights: incl. centre partition and 2 x 1 height-adjustable shelves
- locking system lock
- matt nickel-plated segment handles (other handle variants optional)



|                |          |                   |                   |
|----------------|----------|-------------------|-------------------|
| Width x Height |          | 1200 x 1292 mm    | 1200 x 712 mm     |
| Depth 450 mm   | Standard | <b>612.433.00</b> | <b>612.423.00</b> |
|                | ESD      | <b>612.433.01</b> | <b>612.423.01</b> |
| Depth 650 mm   | Standard | <b>612.633.00</b> | <b>612.623.00</b> |
|                | ESD      | <b>612.633.01</b> | <b>612.623.01</b> |

### Additional shelf

- Thickness 28 mm

For cupboard dept

|        |          |                      |                   |
|--------|----------|----------------------|-------------------|
| 450 mm | Standard | 570 x 390 mm (W x D) | <b>712.412.20</b> |
|        | ESD      | 570 x 390 mm (W x D) | <b>712.412.21</b> |
| 650 mm | Standard | 570 x 590 mm (W x D) | <b>712.612.20</b> |
|        | ESD      | 570 x 590 mm (W x D) | <b>712.612.21</b> |

## Top cupboard with cross roller shutter

- 3 folder heights: inkl. 2 höhenversetzbaren Fachböden
- 2 folder heights: inkl. höhenversetzbarem Fachboden
- Querrollladen von rechts nach links zu öffnen (lichte Breite = 1000 mm)
- locking system lock
- Matt nickel-plated segment handles (other handle variants optional)



|                |          |                   |                   |
|----------------|----------|-------------------|-------------------|
| Width x Height |          | 1200 x 1292 mm    | 1200 x 712 mm     |
| Depth 450 mm   | Standard | <b>612.434.00</b> | <b>612.424.00</b> |
| Depth 650 mm   | Standard | <b>612.634.00</b> | <b>612.624.00</b> |

### Additional shelf

- Thickness 28 mm

For cupboard dept


|        |          |                      |                   |
|--------|----------|----------------------|-------------------|
| 450 mm | Standard | 960 x 390 mm (W x D) | <b>712.413.10</b> |
| 650 mm | Standard | 960 x 590 mm (W x D) | <b>712.613.10</b> |



# Corner cupboards

For wall units with depth = 450 mm

■ Width = 817 mm



## Cupboard with hinged door

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 2064 mm (5 folder heights) inkl. 4 höhenversetzbaren Fachböden  | Standard | <b>505.451.80</b> |
|                                                                          | ESD      | <b>505.451.81</b> |
| Height = 1352 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>505.431.80</b> |
|                                                                          | ESD      | <b>505.431.81</b> |
| Height = 772 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>505.421.80</b> |
|                                                                          | ESD      | <b>505.421.81</b> |

## Top cupboard with double door

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 1292 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>605.431.80</b> |
|                                                                          | ESD      | <b>605.431.81</b> |
| Height = 712 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>605.421.80</b> |
|                                                                          | ESD      | <b>605.421.81</b> |

## Shelf

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 2064 mm (5 folder heights) inkl. 4 höhenversetzbaren Fachböden  | Standard | <b>505.455.80</b> |
|                                                                          | ESD      | <b>505.455.81</b> |
| Height = 1352 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>505.435.80</b> |
|                                                                          | ESD      | <b>505.435.81</b> |
| Height = 772 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>505.425.80</b> |
|                                                                          | ESD      | <b>505.425.81</b> |


## Top shelf

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 1292 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>605.435.80</b> |
|                                                                          | ESD      | <b>605.435.81</b> |
| Height = 712 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>605.425.80</b> |
|                                                                          | ESD      | <b>605.425.81</b> |

# Corner cupboards

For wall units with depth = 650 mm

■ Width = 1017 mm



## Cupboard with hinged door

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 2064 mm (5 folder heights) inkl. 4 höhenversetzbaren Fachböden  | Standard | <b>505.651.80</b> |
|                                                                          | ESD      | <b>505.651.81</b> |
| Height = 1352 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>505.631.80</b> |
|                                                                          | ESD      | <b>505.631.81</b> |
| Height = 772 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>505.621.80</b> |
|                                                                          | ESD      | <b>505.621.81</b> |

## Top cupboard with double door

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 1292 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>605.631.80</b> |
|                                                                          | ESD      | <b>605.631.81</b> |
| Height = 712 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>605.621.80</b> |
|                                                                          | ESD      | <b>605.621.81</b> |

## Shelf

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 2064 mm (5 folder heights) inkl. 4 höhenversetzbaren Fachböden  | Standard | <b>505.655.80</b> |
|                                                                          | ESD      | <b>505.655.81</b> |
| Height = 1352 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>505.635.80</b> |
|                                                                          | ESD      | <b>505.635.81</b> |
| Height = 772 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>505.625.80</b> |
|                                                                          | ESD      | <b>505.625.81</b> |


## Top shelf

|                                                                          |          |                   |
|--------------------------------------------------------------------------|----------|-------------------|
| Height = 1292 mm (3 folder heights), inkl. 2 höhenversetzbaren Fachböden | Standard | <b>605.635.80</b> |
|                                                                          | ESD      | <b>605.635.81</b> |
| Height = 712 mm (2 folder heights), inkl. höhenversetzbarem Fachboden    | Standard | <b>605.625.80</b> |
|                                                                          | ESD      | <b>605.625.81</b> |

# Equipment

## Wardrobe rail


- for cupboards with depth = 650 mm
- mounted across the bottom of the shelf
- including shelf



| for cupboard width | 500 mm            | 800 mm            | 1000 mm           | 1200 mm           |
|--------------------|-------------------|-------------------|-------------------|-------------------|
|                    | <b>705.631.00</b> | <b>708.631.00</b> | <b>710.631.00</b> | <b>712.631.00</b> |

## Installation frame for hanging files


- made of powder-coated sheet steel (black)
- load capacity: 70 kg
- telescopic full extension, optionally with pull-out protection



| for cupboard width | 500 mm            | 800 mm            | 1000 mm           | 1200 mm           |
|--------------------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm       | <b>705.421.00</b> | <b>708.421.00</b> | <b>710.421.00</b> | <b>712.421.00</b> |
| Depth 650 mm       | <b>705.621.00</b> | <b>708.621.00</b> | <b>710.621.00</b> | <b>712.621.00</b> |

## Intermediate plate with pull-out shelf


- pull-out shelf with matt nickel-plated segment handle (further handle variants optional)
- Height = 19 mm



| for cupboard width | 500 mm            | 800 mm            | 1000 mm           | 1200 mm           |
|--------------------|-------------------|-------------------|-------------------|-------------------|
| Depth 450 mm       | <b>705.441.00</b> | <b>708.441.00</b> | <b>710.441.00</b> | <b>712.441.00</b> |
| Depth 650 mm       | <b>705.641.00</b> | <b>708.641.00</b> | <b>710.641.00</b> | <b>712.641.00</b> |

## Ladder system with ladder guide

- conductor guide and metal brackets
- cover in cupboard design, height = 150 mm
- light metal ladder




|                                |                   |
|--------------------------------|-------------------|
| Leadership / running meters    | <b>700.651.00</b> |
| Ladder with casters            | <b>700.656.00</b> |
| Ladder with suspension bracket | <b>700.657.00</b> |

# Roll container

- body made of melamine resin coated fine chipboard, doweled and glued
- front panel height: 1 HU = 50 mm
- organizable steel thrust trays with 4/5 pull-out
- optionally with full extension
- 1 HU pull-out with plastic material tray
- 6 HU pull-out with frame for A4 wallets
- matt nickel-plated segment handles (further handle variants optional)
- 4 swivel castors, 2 of which can be locked
- central locking
- pull-out protection: only one drawer can be opened at a time
- stable mounting of the rollers on a metal plate
- optional ESD compliant



**Width x Height: 435 x 602 mm**



5 Drawers



4 Drawers





4 Drawers



3 Drawers

| Aperture heights (HU) |          | 1/2/2/2/3         | 1/3/3/3           | 1/2/3/4           | 1/3/6             |
|-----------------------|----------|-------------------|-------------------|-------------------|-------------------|
| Depth 600 mm          | Standard | <b>360.100.00</b> | <b>360.200.00</b> | <b>360.300.00</b> | <b>360.400.00</b> |
|                       | ESD      | <b>360.100.01</b> | <b>360.200.01</b> | <b>360.300.01</b> | <b>360.400.01</b> |
| Depth 800 mm          | Standard | <b>380.100.00</b> | <b>380.200.00</b> | <b>380.300.00</b> | <b>380.400.00</b> |
|                       | ESD      | <b>380.100.01</b> | <b>380.200.01</b> | <b>380.300.01</b> | <b>380.400.01</b> |

## Compartment divider for drawer organization



|                                                             |                   |
|-------------------------------------------------------------|-------------------|
| divisible partition for cross division                      | <b>704.061.00</b> |
| A5 compartment divider for additional longitudinal division | <b>704.065.00</b> |
| A6 compartment divider for additional longitudinal division | <b>704.066.00</b> |

# The **KARL-product range.**

Optimal solutions require a precise analysis of the work processes.  
KARL defines itself as a system supplier for modern, ergonomic workplace design.

The intensive cooperation and the qualified dialogue with our customers is the basis  
for a tailor-made solution for your task.

We also take production-specific requirements and spatial conditions  
like the individual needs of each employee into account.

We visualize functionality, ergonomics, handling and implementation of the spatial specifications  
in a three-dimensional layout.



## **QUADRO.**

The workplace system for the highest demands.



## **QUADRO twin.**

The classic table system with all options.



## **SINTRO.**

The variable assembly workstation.




## **SINTRO packing.**

The solution for packing stations.



**BASIC.** The economic workplace system.



**Transfer systems.**



**FIFO shelves.** The flexible material feed.



**Deployment shelves.**



**SINTRO-Car.**



**FIFO-Car.**



**Measuring and testing technology.**

Ergonomics.  
**Functionality.**  
 Custom design.



Andreas KARL GmbH & Co. KG | Hauptstraße 26 | 85777 Fahrenzhausen | Germany  
Fon: +49 8133 17-0 | Fax: +49 8133 17-11 | E-Mail: [info@karl.eu](mailto:info@karl.eu) | [www.karl.eu](http://www.karl.eu)